

# **Safety Data Sheet**

Revision Date 19-May-2015

Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product name

Synthetic LS GL-5 80W-140 Gear Oil

Other means of identification Product Code(s) Synonyms

90147 No information available

Recommended use of the chemical and restrictions on useRecommended UseGear Oil, Lubricant.Uses advised againstAll Other Uses

Details of the supplier of the safety of Manufacturer Address	data sheet
Hicks Oils	
845 N. Hickory Street	
Du Quoin,IL 62832	
TEL: 1-618-542-5431	
Emergency telephone number	
Company Emergency Phone	(618)542-5431
Number	
Emergency telephone number	Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

#### **Classification**

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Gases)	Category 4
Skin sensitization	Category 1

#### Label elements

#### **EMERGENCY OVERVIEW**

WARNING		
<b>Hazard statements</b> Harmful if inhaled May cause an allergic skin reaction		
Appearance Amber colored liquid	Physical state viscous liquid	Odor Mild petroleum odor Mild sulfur odor

**Precautionary Statements - Prevention** 

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

## **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instruction on this label) IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other information

- May be harmful in contact with skin
- · Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

Unknown Aquatic Toxicty

0% of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Common Name Chemical Family

Synthetic hydrocarbon lubricating fluid. Petroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	48.9	*
Poly long-chain alkyl methacrylate	Proprietary	1.26-2.1	*
Long-chain alkyl amine	Proprietary	0.26-0.52	*
Long-chain alkenyl amine	Proprietary	0.05-0.26	*
Alkyl Phosphonate	Proprietary	0.05-0.26	*
Alkoxylated long-chain alkanol borate	Proprietary	0.12-0.24	*
Long-chain alkyl amine	Proprietary	0.04-0.18	*
Long-chain alkyl amine	Proprietary	0.02-0.12	*
Alkyl dithio thiadiazole	Proprietary	0.02-0.12	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First aid measures	
General advice	No hazards which require special first aid measures.
Eye contact	Flush eyes for 30 minutes with water. Get medical attention if irritation persists.
Skin contact	Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops and persists, seek medical attention.
Inhalation	Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.
Ingestion	Do NOT induce vomiting. Consult a physician.
	eta likatki anuta and dalannad

## Most important symptoms and effects, both acute and delayed

#### Symptoms

No information available.

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

## Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Small Fires	Always use personal safety equipment. Follow appropriate personal safety procedures, and
	extinguishing media.

Large Fires Contact emergency personnel.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

Combustible material.

Hazardous combustion productsCarbon monoxide. Carbon dioxide (CO<sub>2</sub>).

#### Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal protection	Avoid contact with the skin and the eyes. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as material can cause surfaces to become very slippery.	
For emergency responders	Clean up area with absorbent material and place in closed containers for disposal. Ventilate the area.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Cover with earth, sand, or other non-combustible material followed with plastic sheets to minimize spreading or contact with rain.	
Methods for cleaning up	Excess liquid material can be collected using a scoop or shovel and stored for recycling or disposal. Prevent material from entering drains or waterways.	

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling

	temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.			
Conditions for safe storage, includ	ing any incompatibilities			
Storage Conditions	Keep away from heat and sources of ignition. Keep containers closed when not in use. Follow first aid measures if contact occurs, and spill procedures if spill occurs. For packaged material: Store in a cool dry area. For bulk material: store in cool dry area. Always follow local, state, and federal guidlines for storage of material for amount stored.			
Incompatible Products	Strong oxidizing agents.			
8. EX	POSURE CONTROLS/PERSO	NAL PROTECTION		
Control parameters				
Exposure guidelines	This product does not contain any ha established by the region specific reg		cupational exposure limits	
Appropriate engineering controls				
Engineering Controls	Showers Eyewash stations Ventilation systems.			
Individual protection measures, su	ch as personal protective equipment			
Eye/face Protection	If splashes are likely to occur, wear:.	Goggles. Eye/face Protec	tion.	
Skin and body protection	Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin wash with soap and water.			
Respiratory protection	If exposure limits are exceeded or irri respiratory protection should be worn required for high airborne contaminar provided in accordance with current le	. Positive-pressure suppli t concentrations. Respire	ed air respirators may be	
General Hygiene Considerations	Remove and wash contaminated clothing before re-use.			
	9. PHYSICAL AND CHEMICAL	PROPERTIES		
Information on basic physical and	chemical properties			
Physical state Appearance	viscous liquid Amber colored liquid	Odor	Mild petroleum odor Mild sulfur odor	
Color	amber	Odor threshold	No information available	
Property pH Melting point/freezing point Boiling Point/Range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density	ValuesNo information availableNo information availableNo information available> $93.3 \ ^{\circ}C / > 200 \ ^{\circ}F$ No information availableNo information available	<u>Remarks • Method</u>		

Specific gravity
Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
Oxidizing properties

#### Other information

Softening point VOC Content Density Bulk density 0.87 No information available No information available No information available

No information available No information available No information available No information available No information available

No information available No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

Reactivity No data available

Chemical stabilityStable under normal conditions.Possibility of Hazardous ReactionsNone under normal processing.Hazardous polymerizationHazardous polymerization does not occur.

Conditions to avoid Excessive heat. High energy sources of ignition. Incompatible materials Strong oxidizing agents. Hazardous decomposition products None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	No data available
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system. Harmful by inhalation.
Eye contact	Avoid contact with eyes. May cause irritation.
Skin contact	May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking.
Ingestion	Do NOT taste or swallow.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Long-chain alkyl amine	612 mg/kg ( Rat )	251 mg/kg ( Rat )	157 ppm(Rat)4h
Long-chain alkenyl amine	1689 mg/kg(Rat)	-	-
Alkyl Phosphonate	3200 mg/kg ( Rat )	1990 mg/kg(Rabbit)	-
Long-chain alkyl amine	612 mg/kg(Rat)	251 mg/kg(Rat)	-
Long-chain alkyl amine	612 mg/kg(Rat)	251 mg/kg(Rat)	157 ppm(Rat)

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

 Sensitization
 May cause sensitization by skin contact.

 Germ cell mutagenicity
 No information available.

 Carcinogenicity
 Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has caused skin cancer in animal tests.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy	-	Group 1	-	X
paraffinic 64742-54-7				

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

#### Numerical measures of toxicity - Product Information

Unknown Aquatic Toxicty0% of the mixture consists of ingredient(s) of unknown toxicityThe following values are calculatedbased on chapter 3.1 of the GHS document .ATEmix (oral)5287 mg/kgATEmix (dermal)2983 mg/kgATEmix (inhalation-gas)17018 ppm

## **12. ECOLOGICAL INFORMATION**

## Ecotoxicity

Harmful to aquatic life Harmful to aquatic life with long lasting effects

3.28% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy paraffinic	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
64742-54-7			

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Waste Disposal Method

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** 

Do not reuse container.

# **14. TRANSPORT INFORMATION**

001
-----

Not regulated

ΙΑΤΑ

PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO TI OR IATA DGR

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

## <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## U.S. State Regulations

# California Proposition 65

This product contains the following Proposition 65 chemicals: 2-Propenoic Acid, Ethyl Ester

## U.S. State Right-to-Know Regulations

## U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION					
NFPA	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Hazards -	
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection X	
Issuing Date Revision Date Revision Note Initial Release Disclaimer	19-May-2 19-May-2				
publication. The in	formation given is designed	ed only as a guide for s	owledge, information and afe handling, use, processi a warranty or quality specif	ng, storage,	

publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

## End of MSDS