



# Safety Data Sheet

Issuing Date 01-Sep-2016

Revision Date 01-Sep-2016

Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product name** CJ-4/SN 10W-30 Motor Oil

### Other means of identification

**Product Code(s)** 61127, 161127

**Synonyms** No information available

### Recommended use of the chemical and restrictions on use

**Recommended Use** Engine oil, Lubricant.

**Uses advised against** All Other Uses

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hicks Oils  
845 N. Hickory Street  
Du Quoin, IL 62832  
TEL: 1-618-542-5431

#### Emergency telephone number

**Company Phone Number** 618-542-5431

**Company Emergency Phone Number** (618) 542-5431

**Emergency telephone number** Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1

### Label elements

#### **EMERGENCY OVERVIEW**

#### **WARNING**

#### **Hazard statements**

Causes serious eye irritation

May cause an allergic skin reaction



**Appearance** dark amber

**Physical state** Viscous Liquid

**Odor** Mild petroleum odor

### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Contaminated work clothing should not be allowed out of the workplace

**Precautionary Statements - Response**

Specific treatment (see this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****Other information**

- May be harmful in contact with skin
- Toxic to aquatic life with long lasting effects
- Toxic to aquatic life

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Common Name** Hydrocarbon Lubricating Fluid.  
**Chemical Family** Petroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	75-80	*
Zinc dialkyl dithiophosphate	68649-42-3	0.89-1.75	*
Polyolefin amide alkenamine	Proprietary	0.89-1.75	*
Calcium long-chain alkylphenate sulfide	Proprietary	0.89-1.75	*
Alkaryl amine	Proprietary	0.89-1.75	*
Phenol, 4-dodecyl-	104-43-8	0.09-0.18	*
Calcium long-chain alkaryl sulfonate	Proprietary	0.09-0.18	*
Alkoxyated long-chain alkyl alcohol	68551-12-2	0.09-0.18	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**First aid measures**

**General advice** No hazards which require special first aid measures.

**Eye contact** Flush eyes for 30 minutes with water. Get medical attention if irritation persists.

**Skin contact** Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops and persists, seek medical attention.

**Inhalation** Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.

**Ingestion** Do NOT induce vomiting. Consult a physician.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** No information available.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

**Small Fires** Always use personal safety equipment. Follow appropriate personal safety procedures, and extinguishing media.

**Large Fires** Contact emergency personnel.

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

Combustible material.

**Hazardous combustion products** Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

**Personal protection** Avoid contact with the skin and the eyes. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as material can cause surfaces to become very slippery.

**Other information** Small spill: Remove sources of heat or ignition, provide adequate ventilation, contain leak using absorbent, inert, non-combustible material. Large Spill: Contain spill, transfer to secure containers. In the event of an uncontrolled material release, the user should determine if release is reportable under applicable laws and regulations.

**For emergency responders** Clean up area with absorbent material and place in closed containers for disposal.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

**Methods for containment** Cover with earth, sand, or other non-combustible material followed with plastic sheets to minimize spreading or contact with rain.

**Methods for cleaning up** Excess liquid material can be collected using a scoop or shovel and stored for recycling or disposal. Prevent material from entering drains or waterways.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if

material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.

#### **Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep away from heat and sources of ignition. Keep containers closed when not in use. Follow first aid measures if contact occurs, and spill procedures if spill occurs. For packaged material: Store in a cool dry area. For bulk material: store in cool dry area. Always follow local, state, and federal guidelines for storage of material for amount stored.
<b>Incompatible Products</b>	Strong oxidizing agents.

### **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

<b>Exposure guidelines</b>	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
----------------------------	---

#### **Appropriate engineering controls**

<b>Engineering Controls</b>	Showers Eyewash stations Ventilation systems.
-----------------------------	---

#### **Individual protection measures, such as personal protective equipment**

<b>Eye/face Protection</b>	If splashes are likely to occur, wear: Goggles. Eye/face Protection.
<b>Skin and body protection</b>	Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin wash with soap and water.
<b>Respiratory protection</b>	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
<b>General Hygiene Considerations</b>	Remove and wash contaminated clothing before re-use.

### **9. PHYSICAL AND CHEMICAL PROPERTIES**

#### **Information on basic physical and chemical properties**

<b>Physical state</b>	Viscous Liquid	<b>Odor</b>	Mild petroleum odor
<b>Appearance</b>	dark amber	<b>Odor threshold</b>	No information available
<b>Color</b>	amber		

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>
<b>pH</b>	No information available	
<b>Melting point/freezing point</b>	No information available	
<b>Boiling Point/Range</b>	No information available	
<b>Flash point</b>	237 °C / 458.6 °F	Cleveland open cup (COC)
<b>Evaporation rate</b>	No information available	
<b>Flammability (solid, gas)</b>	No information available	
<b>Flammability Limit in Air</b>		
<b>Upper flammability limit:</b>	No information available	
<b>Lower flammability limit:</b>	No information available	
<b>Vapor pressure</b>	No information available	

Vapor density	No information available
Specific gravity	0.88
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	
Decomposition temperature	No information available
Kinematic viscosity	80-90 @40C mm2/s
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

**Other information**

Softening point	No information available
VOC Content	No information available
Density	No information available
Bulk density	No information available

## 10. STABILITY AND REACTIVITY

**Reactivity**

No data available

**Chemical stability**

Stable under normal conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization**      Hazardous polymerization does not occur.

**Conditions to avoid**

Excessive heat. High energy sources of ignition.

**Incompatible materials**

Strong oxidizing agents.

**Hazardous decomposition products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

<b>Product Information</b>	No data available
<b>Inhalation</b>	Inhalation of vapors in high concentration may cause irritation of respiratory system.
<b>Eye contact</b>	Avoid contact with eyes. May cause irritation.
<b>Skin contact</b>	May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking. May cause sensitization by skin contact.
<b>Ingestion</b>	Do NOT taste or swallow. MAY BE HARMFUL IF SWALLOWED.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating oils, petroleum, hydrotreated spent 64742-58-1	> 2000 mg/kg ( Rat )	> 4480 mg/kg ( Rabbit )	-
Phenol, 4-dodecyl- 104-43-8	= 2100 mg/kg ( Rat )	= 5 mL/kg ( Rabbit )	-

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Serious eye damage/eye irritation** Irritating to eyes.  
**Sensitization** May cause sensitization by skin contact.  
**Germ cell mutagenicity** No information available.  
**Carcinogenicity** Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has caused skin cancer in animal tests. .

**Reproductive toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Aspiration hazard** No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 5055 mg/kg  
**ATEmix (dermal)** 4988 mg/kg

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Toxic to aquatic life  
 Toxic to aquatic life with long lasting effects

77.78% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Lubricating oils, petroleum, hydrotreated spent 64742-58-1	-	3.2: 96 h Pimephales promelas mg/L LC50 semi-static 79.6: 96 h Brachydanio rerio mg/L LC50 semi-static	-
Zinc dialkyl dithiophosphate 68649-42-3	-	1.0 - 5.0: 96 h Pimephales promelas mg/L LC50 static 10.0 - 35.0: 96 h Pimephales promelas mg/L LC50 semi-static	1 - 1.5: 48 h Daphnia magna mg/L EC50
Phenol, 4-dodecyl- 104-43-8	-	0.14: 96 h Oncorhynchus clarki mg/L LC50	-

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

**Other adverse effects**

**Ozone** No information available

Not Applicable

## 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

<b>Waste Disposal Method</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated packaging</b>	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

#### 14. TRANSPORT INFORMATION

<b>DOT</b>	Not regulated
<b>IATA</b>	PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO TI OR IATA DGR

#### 15. REGULATORY INFORMATION

##### International Inventories

<b>TSCA</b>	Does not comply
<b>DSL/NDSL</b>	Does not comply
<b>EINECS/ELINCS</b>	Does not comply
<b>ENCS</b>	Does not comply
<b>IECSC</b>	Does not comply
<b>KECL</b>	Does not comply
<b>PICCS</b>	Does not comply
<b>AICS</b>	Does not comply

##### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

##### U.S. Federal Regulations

##### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

##### SARA 311/312 Hazard Categories

<b>Acute health hazard</b>	No
<b>Chronic Health Hazard</b>	yes
<b>Fire hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

##### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**U.S. State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Zinc dialkyl dithiophosphate 68649-42-3	X	-	X

**U.S. EPA Label Information**

EPA Pesticide registration number Not Applicable

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Hazards -
<b><u>HMIS</u></b>	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection X

Issuing Date 01-Sep-2016

Revision Date 01-Sep-2016

Revision Note

Initial Release

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of MSDS**