

# **Safety Data Sheet**

Issuing Date 05-Aug-2020 Revision Date 05-Aug-2020 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product name SP Synthetic Motor Oils; 0W-20, 5W-20, 5W-30, 10W-30

Other means of identification

Product Code(s) 0W-20: 53162, 5W-20: 53165, 5W-30: 53166, 10W-30: 53167

Synonyms No information available

Recommended use of the chemical and restrictions on use
Recommended Use Engine oil, Lubricant.
Uses advised against All Other Uses

Details of the supplier of the safety data sheet

**Manufacturer Address** 

**Hicks Oils** 

845 N. Hickory Street Du Quoin,IL 62832 TEL: 1-618-542-5431

Emergency telephone number

Company Phone Number 1-618-542-5431

Emergency telephone number Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

### Classification

**OSHA Regulatory Status** 

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

### Label elements

# **EMERGENCY OVERVIEW**

Appearance Amber colored liquid Physical state Viscous Liquid Odor Mild petroleum odor

#### Hazards not otherwise classified (HNOC)

Other information

Unknown Aquatic Toxicty 0% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Common NameHydrocarbon Lubricating Fluid.Chemical FamilyPetroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	>80	*

\_\_\_\_

Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl)	2215-35-2	0.43-0.86	*
bis(phosphorodithioate)			

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First aid measures

**General advice** No hazards which require special first aid measures.

Eye contact Flush eyes for 30 minutes with water. Get medical attention if irritation persists.

**Skin contact** Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by

washing with mild soap and water or a waterless hand cleaner. If irritation or redness

develops and persists, seek medical attention.

**Inhalation** Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.

**Ingestion** Do NOT induce vomiting. Consult a physician.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Small Fires Always use personal safety equipment. Follow appropriate personal safety procedures, and

extinguishing media.

**Large Fires** Contact emergency personnel.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Combustible material.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO 2).

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal protection** Avoid contact with the skin and the eyes. Eye protection or face shield should be used if

material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as

material can cause surfaces to become very slippery.

Other information Small spill: Remove sources of heat or ignition, provide adequate ventilation, contain leak

using absorbent, inert, non-combustible material. Large Spill: Contain spill, transfer to secure containers. In the event of an uncontrolled material release, the user should

determine if release is reportable under applicable laws and regulations.

For emergency responders Clean up area with absorbent material and place in closed containers for disposal.

Environmental precautions

**Environmental precautions** Do not flush into surface water or sanitary sewer system. Prevent entry into waterways,

sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Cover with earth, sand, or other non-combustible material followed with plastic sheets to

minimize spreading or contact with rain.

Methods for cleaning up Excess liquid material can be collected using a scoop or shovel and stored for recycling or

disposal. Prevent material from entering drains or waterways.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if

material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at

ambient temperature.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat and sources of ignition. Keep containers closed when not in use.

Follow first aid measures if contact occurs, and spill procedures if spill occurs. For packaged material: Store in a cool dry area. For bulk material: store in cool dry area. Always follow local, state, and federal guidelines for storage of material for amount stored.

Incompatible Products Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure guidelines** This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

	Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleur	n distillates, hydrotreated	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup>
	heavy paraffinic		_	TWA: 5 mg/m <sup>3</sup>
	64742-54-7			STEL: 10 mg/m <sup>3</sup>

### **Appropriate engineering controls**

Engineering Controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face Protection** If splashes are likely to occur, wear:. Goggles. Eye/face Protection.

Mild petroleum odor

Pensky-Martens Closed Cup (PMCC), ASTM D93,

**Skin and body protection**Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin

wash with soap and water.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Odor

provided in accordance with current local regulations.

**General Hygiene Considerations** Remove and wash contaminated clothing before re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Viscous Liquid Appearance Amber colored liquid

Color amber Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

PH No information available
Melting point/freezing point
Boiling Point/Range No information available
Flash point > 185 °C / > 365 °F

EPA 1010

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability (solid, gas) No information ava

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific gravity 0.86-0.88

Water solubility
Solubility in other solvents
Partition coefficient
No information available
No information available
No information available

Autoignition temperature Decomposition temperature

Decomposition temperatureNo information availableKinematic viscosity45-100 @ 40C mm2/sDynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

**Other information** 

Softening point
VOC Content
Density
Bulk density
No information available
No information available
No information available
No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under normal conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

Conditions to avoid

Excessive heat. High energy sources of ignition.

**Incompatible materials** 

Strong oxidizing agents.

#### Hazardous decomposition products

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** No data available

Inhalation of vapors in high concentration may cause irritation of respiratory system. Inhalation

**Eve contact** Avoid contact with eyes. May cause irritation.

Skin contact May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking.

Ingestion Do NOT taste or swallow.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat) > 24 g/kg (Rat)	> 5000 mg/kg(Rabbit)	= 2062 ppm (Rat) 4 h
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) 2215-35-2	2000 - 5000 mg/kg (Rat)	> 3160 mg/kg(Rabbit)	-

### Information on toxicological effects

No information available. **Symptoms** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes. Sensitization No information available. Germ cell mutagenicity No information available.

Carcinogenicity Mineral oils are known to cause cancer because of carcinogenic components (e.g.

> benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has

caused skin cancer in animal tests. .

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates,	-	Group 1	Known	X
hydrotreated heavy				
paraffinic				
64742-54-7				

No information available. Reproductive toxicity STOT - single exposure No information available. STOT - repeated exposure No information available. Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

**Unknown Aquatic Toxicty** 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5051 mg/kg ATEmix (dermal) 5051 mg/kg

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy	=	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
paraffinic		mg/L LC50	EC50
64742-54-7		_	
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl)	1.0 - 5.0: 96 h	25 - 50: 96 h Pimephales	4.0 - 6.0: 48 h Daphnia magna
bis(phosphorodithioate)	Pseudokirchneriella subcapitata	promelas mg/L LC50 static 100:	mg/L EC50
2215-35-2	mg/L EC50	96 h Pimephales promelas mg/L	_
		LC50 semi-static	

# Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

No information available Other adverse effects

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

**Waste Disposal Method** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

### 14. TRANSPORT INFORMATION

DOT Not regulated

PETROLEUM LUBRICATING OIL: NOT REGULATED AS DANGEROUS GOODS FOR IATA

TRANSPORT UNDER ICAO TI OR IATA DGR

# 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies

**DSL/NDSL** Does not comply **EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Does not comply Does not comply KECL

**PICCS** Does not comply **AICS** Does not comply

# Legend:

All components are either listed on the US TSCA Inventory, or are not regulated under TSCA.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

# **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# U.S. State Regulations

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated	X	-	X
heavy paraffinic			
64742-54-7			
Zinc	X	-	X
O,O,O',O'-tetrakis(1,3-dimethylbutyl)			
bis(phosphorodithioate)			
2215-35-2			

# **U.S. EPA Label Information**

EPA Pesticide registration number Not Applicable

# **16. OTHER INFORMATION**

SP Synthetic Motor Oils; 0W-20, 5W-20, 5W-30, 10W-30

Revision Date 05-Aug-2020

NFPA Health hazards 0 Flammability 1 Instability 0 Physical and Chemical

Hazards -

HMIS Health hazards 0 Flammability 1 Physical hazards 0 Personal protection X

 Issuing Date
 05-Aug-2020

 Revision Date
 05-Aug-2020

Revision Note Initial Release Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of MSDS**