

# **Safety Data Sheet**

Revision Date 18-Sep-2015

Version 1

# **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

Product identifier Product name

Synthetic Automatic Transmission Fluid M/D III

Other means of identification Product Code(s) Synonyms

1351, 91351 No information available

Recommended use of the chemical and restrictions on useRecommended UseTransmission Fluid, Lubricant.Uses advised againstAll Other Uses

Details of the supplier of the safety data sheetManufacturer AddressHicks Oils845 N. Hickory StreetDu Quoin,IL 62832TEL: 1-618-542-5431Emergency telephone numberCompany Phone Number618-542-5431Company Emergency Phone(618) 542-5431NumberEmergency telephone numberCompany Emergency PhoneChemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

**Classification** 

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin	sensitization	

### Label elements

### **EMERGENCY OVERVIEW**

WARNING

Hazard statements

May cause an allergic skin reaction

Appearance Amber colored liquid Red Colored Liquid

Physical state Viscous Liquid

Odor Mild petroleum odor

Category 1

### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instruction on this label) IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Other information

May be harmful in contact with skin

Unknown Aquatic Toxicty

0% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Common Name Chemical Family Hydrocarbon Lubricating Fluid. Petroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	91.81	*
Methacrylate copolymer	Proprietary	0.82-1.62	*
Alkoxylated long-chain alkyl amine	Proprietary	0.08-0.4	*
Alkaryl amine	Proprietary	0.08-0.4	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

First aid measures		
General advice	No hazards which require special first aid measures.	
Eye contact	Flush eyes for 30 minutes with water. Get medical attention if irritation persists.	
Skin contact	Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops and persists, seek medical attention.	
Inhalation	Move exposed persons to fresh air. Consult medical personnel if breathing issues occur.	
Ingestion	Do NOT induce vomiting. Consult a physician.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

# Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

**Small Fires** Always use personal safety equipment. Follow appropriate personal safety procedures, and extinguishing media.

### Large Fires

Contact emergency personnel.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

Combustible material.

# Hazardous combustion productsCarbon monoxide. Carbon dioxide (CO<sub>2</sub>).

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal protection	Avoid contact with the skin and the eyes. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. Wash skin with soap and water if contact occurs. Launder soiled clothing. If spilled, take caution, as material can cause surfaces to become very slippery.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Cover with earth, sand, or other non-combustible material followed with plastic sheets to minimize spreading or contact with rain.		
Methods for cleaning up	Excess liquid material can be collected using a scoop or shovel and stored for recycling or disposal. Prevent material from entering drains or waterways.		
7. HANDLING AND STORAGE			
Precautions for safe handling	Precautions for safe handling		
Advice on safe handling	Avoid contact with skin, eyes and clothing. Eye protection or face shield should be used if material is used under conditions that increase the chances of splattering. If contact is made, wash skin with soap and water. Launder soiled clothing. Maximum handling temperature is 70 degrees C (158 F). It is recommended to pump or transfer material at ambient temperature.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep away from heat and sources of ignition. Keep containers closed when not in use. Follow first aid measures if contact occurs, and spill procedures if spill occurs. For packaged material: Store in a cool dry area. For bulk material: store in cool dry area. Always follow local, state, and federal guidlines for storage of material for amount stored.		
Incompatible Products	Strong oxidizing agents.		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION			

### Control parameters

Exposure guidelines	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.	
Appropriate engineering controls		
Engineering Controls	Showers Eyewash stations Ventilation systems.	
Individual protection measures, such as personal protective equipment		
Eye/face Protection	If splashes are likely to occur, wear:. Goggles. Eye/face Protection.	
Skin and body protection	Long sleeved clothing. Protective gloves can be worn, if material comes in contact with skin wash with soap and water.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	Remove and wash contaminated clothing before re-use.	
9. PHYSICAL AND CHEMICAL PROPERTIES		

# Information on basic physical and chemical properties

Physical state Appearance Color	Viscous Liquid Amber colored liquid Red Colored Liquid amber	Odor Odor threshold	Mild petroleum odor
000	red	Oddi tilleshold	NO INFORMATION AVAILABLE
Property_	<u>Values</u>	Remarks • Method	
рН	No information available		
Melting point/freezing point	No information available		
Boiling Point/Range	No information available		
Flash point	> 93.3 °C / > 200 °F	Based on similar produc	ts.
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	0.86		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature			
Decomposition temperature	No information available 30 @40C mm2/s		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
Other information			
Softening point	No information available		
VOC Content	No information available		
Density	No information available		
-			

### Bulk density

No information available

# **10. STABILITY AND REACTIVITY**

Reactivity No data available

Chemical stabilityStable under normal conditions.Possibility of Hazardous ReactionsNone under normal processing.Hazardous polymerizationHazardous polymerization does not occur.

<u>Conditions to avoid</u> Excessive heat. High energy sources of ignition. <u>Incompatible materials</u> Strong oxidizing agents. <u>Hazardous decomposition products</u> None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Product Information	No data available
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Avoid contact with eyes. May cause irritation.
Skin contact	May cause eye/skin irritation. Repeated exposure may cause skin dryness or cracking.
Ingestion	Do NOT taste or swallow.

### Information on toxicological effects

Symptoms

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationMay cause sensitization by skin contact.Germ cell mutagenicityNo information available.CarcinogenicityMineral oils are known to cause cancer because of carcinogenic components (e.g.<br/>benzene). The mineral oil in this product is highly refined and should not be considered a<br/>carcinogen. Used lubricating oil may contain hazardous components which have the<br/>potential to cause skin cancer. Continuous long-term contact with used lubricating oils has<br/>caused skin cancer in animal tests.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	Group 1	-	Х

Reproductive toxicity STOT - single exposure STOT - repeated exposure Aspiration hazard No information available. No information available. No information available. No information available.

Numerical measures of toxicity - Product Information

**Unknown Aquatic Toxicty** 

0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

1.62% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
paraffinic		mg/L LC50	EC50
64742-54-7			

#### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Waste Disposal Method	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

# 14. TRANSPORT INFORMATION

DOT

Not regulated

<u>IATA</u>

PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO TI OR IATA DGR

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

# U.S. Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

No
No
No
No
No

### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### U.S. State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

### U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION				
NFPA_	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Hazards -
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection X
Issuing Date Revision Date Revision Note Initial Release Disclaimer	18-Sep-2015 18-Sep-2015			
publication. The in	formation given is design	ed only as a guide for s	nowledge, information and afe handling, use, processi	ng, storage,

transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS