

Safety Data Sheet

Revision Date 01-Mar-2017

Version 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier **Product name** Type F Transmission Fluid Other means of identification Product Code(s) 1333 No information available **Synonyms** Recommended use of the chemical and restrictions on use **Recommended Use** Transmission Fluid, Lubricant. Uses advised against All Other Uses Details of the supplier of the safety data sheet Manufacturer Address **Hicks Oils** 845 N. Hickory Street Du Quoin,IL 62832 TEL: 1-618-542-5431 Emergency telephone number **Company Emergency Phone** (618) 542-5431 Number

 Number

 Emergency telephone number
 Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Label elements

EMERGENCY OVERVIEW

Appearance red

Physical state -

Odor Petroleum-like

Hazards not otherwise classified (HNOC)

Other information

Unknown Aquatic Toxicty

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name

Hydrocarbon Lubricating Fluid.

Chemical name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	77.71	*
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	14.59	*

Methacrylate copolymer	Proprietary	0.77-1.53	*
------------------------	-------------	-----------	---

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES		
First aid measures		
Eye contact	In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.	
Skin contact	Wash with soap and water. Get medical attention if irritation develops.	
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear.	
Ingestion	If affected person is fully conscious, give one glass of water to drink. Never give anything by mouth to an unconscious person. Get medical attention.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use water fog, foam, dry chemical or carbon dioxide to extinguish flames.

Small Fires	Always use personal safety equipment. Follow appropriate personal safety procedures, and extinguishing media.
Large Fires	Contact emergency personnel.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Combustible material.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂). Sulfur oxides. Nitrogen oxides (NOx).

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal protection	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
Other information	Small spill: Remove sources of heat or ignition, provide adequate ventilation, contain leak using absorbent, inert, non-combustible material. Large Spill: Contain spill, transfer to secure containers. In the event of an uncontrolled material release, the user should

Environmental precautions	Clean up area with absorbent material and place in closed containers for disposal. See Section 12 for additional Ecological Information. nt and cleaning up Prevent further leakage or spillage if safe to do so. If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Minimize contact of spilled material with soils to prevent runoff to surface waterways T. HANDLING AND STORAGE If contact is made, wash skin with soap and water. Launder soiled clothing.	
Environmental precautions	nt and cleaning up Prevent further leakage or spillage if safe to do so. If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Minimize contact of spilled material with soils to prevent runoff to surface waterways T. HANDLING AND STORAGE	
Aethods and material for containment Aethods for containment Nethods for cleaning up	nt and cleaning up Prevent further leakage or spillage if safe to do so. If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Minimize contact of spilled material with soils to prevent runoff to surface waterways 7. HANDLING AND STORAGE	
Aethods for containment	Prevent further leakage or spillage if safe to do so. If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Minimize contact of spilled material with soils to prevent runoff to surface waterways 7. HANDLING AND STORAGE	
Nethods for cleaning up	If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Minimize contact of spilled material with soils to prevent runoff to surface waterways	
Precautions for safe handling	absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Minimize contact of spilled material with soils to prevent runoff to surface waterways 7. HANDLING AND STORAGE	
	If contact is made, wash skin with soap and water. Launder soiled clothing.	
dvice on safe handling	If contact is made, wash skin with soap and water. Launder soiled clothing.	
Conditions for safe storage, including	ng any incompatibilities	
Storage Conditions	Store in closed, labelled containers. Store in cool/well-ventilated place.	
ncompatible Products	Strong oxidizing and reducing agents.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		
Control parameters		
	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.	
Appropriate engineering controls		
	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.	
ndividual protection measures, such	h as personal protective equipment	
Eye/face Protection	Wear protective eyewear (safety glasses).	
	No skin protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.	
Respiratory protection	In case of inadequate ventilation wear respiratory protection.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

-

Physical state

•		Odan	Detrolours like
Appearance	red	Odor Odor	Petroleum-like
Color	red	Odor threshold	No information available
Property	Values	Remarks • Method	
рН	No information available		
Melting point/freezing point	No information available		
Boiling Point/Range	No information available		
Flash point	> 93.3 °C / > 200 °F	Based on similar proc	ducts.
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	0.86		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature			
Decomposition temperature	No information available		
Kinematic viscosity	30-35 @40C cSt		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
Other information			
Softening point	No information available		
VOC Content	No information available		
Density	No information available		
Bulk density	No information available		

10. STABILITY AND REACTIVITY

Reactivity_

No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing and reducing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

No data available

Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Avoid contact with eyes. May cause irritation.
Skin contact	Repeated exposure may cause skin dryness or cracking. May be harmful in contact with skin

Ingestion

Do NOT taste or swallow.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	-	-
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	-	-	= 3900 mg/m³(Rat)4 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. Mineral oils are known to cause cancer because of carcinogenic components (e.g. benzene). The mineral oil in this product is highly refined and should not be considered a carcinogen. Used lubricating oil may contain hazardous components which have the
	carcinogen. Used lubricating oil may contain hazardous components which have the potential to cause skin cancer. Continuous long-term contact with used lubricating oils has caused skin cancer in animal tests.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	-	Group 1	-	Х

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

Unknown Aquatic Toxicty0% of the mixture consists of ingredient(s) of unknown toxicityThe following values are calculatedbased on chapter 3.1 of the GHS document .ATEmix (oral)5089mg/kgATEmix (dermal)4163mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

6.05% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy paraffinic	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
64742-54-7		_	
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects	No information available			
13. DISPOSAL CONSIDERATIONS				
Waste treatment methods				
Waste Disposal Method	Waste must be disposed of in accordance with federal, state, and local environmental control regulations.			
Contaminated packaging	Do not reuse container.			

14. TRANSPORT INFORMATION

DOT

Not regulated

ΙΑΤΑ

PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO TI OR IATA DGR

15. REGULATORY INFORMATION

International Inventories	
TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated	-	Х	-
light paraffinic			
64742-55-8			

U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16. OTHER INFORMATION				
NFPA_	Health hazards 0	Flammability 1	Instability 0	Physical and Chemical Hazards -
HMIS	Health hazards 0	Flammability 1	Physical hazards 0	Personal protection X
Issuing Date Revision Date	18-Jul-2012 01-Mar-2017			
Revision Note				
SDS sections updated 2				
Disclaimer				
The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its				

publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS